



World Conference on Timber Engineering

Whistler Resort, British Columbia, Canada

July 31 - August 3, 2000

Session 1

1.1. Performance of shearwall systems

- 1.1.1. **Results from the City of Los Angeles-UC Irvine shear wall test program**
Pardoen, G.C., Kazanjy, R.P., Freund, E., Hamilton, C.H., Larsen, D.
- 1.1.2. **Experimental analyses for estimating strength and stiffness of shear walls in wood-framed construction**
Okabe, M., Kawai, N, Takada, S.
- 1.1.3. **The effect of the moisture contents on the strength and stiffness properties of nailed joints and shear walls**
Nakajima, S.
- 1.1.4. **Seismic testing and analysis program on woodframe construction**
Pryor, S.E., Taylor, G.W., Ventura, C.E.

1.2 System performance of woodframe structures

- 1.2.1. **Numerical analysis of statically loaded three-dimensional timber light-frame buildings**
He, M., Lam, F., Foschi, R.O.
- 1.2.2. **System effects and load-sharing in an L-shaped woodframe house**
Foliente, G., Paevere, P., Macindoe, L., Banks, R., Kasal, B.
- 1.2.3. **3D seismic analysis of multi-storey wood frame construction**
Ceccotti, A., Follesa, M., Karacabeyli, E.
- 1.2.4. **On the need for tension anchorage in timber houses**
Kessel, M.H., Dettmann, O.J.P.

1.3 Wood based composites

- 1.3.1. **PanelMSR® – an on-line stiffness tester for engineered wood panels**
Lister, P.F., Lau, K.K.
- 1.3.2. **Probabilistic nonlinear model for reinforced glulam beams**
Lindyberg, R.F., Dagher, H.J.
- 1.3.3. **Computational modeling of strand-based wood composites in compression**
Clouston, P., Lam, F.
- 1.3.4. **Effects of strand length and orientation on strength properties of OSB made from Japanese cedar**
Suzuki, S.

1.4 Dowel type connections

- 1.4.1. **Determining embedment response parameters from connector tests**
Foschi, R.O., Yao, F., Rogerson, D.
- 1.4.2. **Measurement & rationalisation of fastener embedment test data**
Rodd, P.D., Guan, Z.W., Pope, D.J.

- 1.4.3 **Influence of early moderate and high intensity cyclic loading on the behaviour of dowel-type joints - experimental and modelling aspects –**
Sauvat, N., Fournely, E.
- 1.4.4 **Evaluation of yield strength of bolted timber joints by Monte-Carlo simulation**
Sawata, K., Yasumura, M.

1.5 Modern design code approaches

- 1.5.1 **Human error and quality control: Implications for design of timber structures**
Canisius, T.
- 1.5.2 **Is Limit States Design ready for the new millennium?**
Gromala, D.S., Rosowsky, D.V., Ellingwood, B.R., Murphy, J.F.
- 1.5.3 **Demystifying Limit State Design in timber**
Metten, C.J., Bainbridge, R.J.
- 1.5.4 **Objective-based codes for wood frame construction**
Lepper, M., Jones, E.

1.6 Material properties of wood products

- 1.6.1 **Determination of the modulus of elasticity in bending of structural timber - comparison of two methods**
Holmqvist, C., Boström, L.
- 1.6.2 **Bending and compression properties of small diameter round timber**
Ranta-Maunus, A.
- 1.6.3 **Mechanical properties of timber product required by end users**
Kliger, R.I.
- 1.6.4 **Improving in-elastic curvature of Beech and Ash wood by treatments, for uses in laminated sternposts**
Ebrahimi, Gh., Khazaian, A.

Session 2

2.1 Lateral resistance of woodframe buildings

- 2.1.1 **Lateral load testing and analysis of manufactured homes**
Koerner, B.D., Schmidt, R. J., Goodman, J. R., Richins, W. D.
- 2.1.2 **Racking strength of non-structural wood-framed wall**
Yeh, M.-C.
- 2.1.3 **The racking performance of light-frame shear walls with various tie-down restraints**
Salenikovich, A.J., Dolan, J. D.

2.2 Glued-laminated composite products

- 2.2.1 **Fatigue strength of finger joints for glulam**
Macêdo, A.N., Calil Jr., C.
- 2.2.2 **Fire resistance of FRP reinforced glulam beams**
Martin, Z., Tingley, D.A.
- 2.2.3 **Investigation of influence of knots on short and long term strength of glulam beams**
Baltrusaitis, A.

2.3 Wood building systems

- 2.3.1 **Effect of overturning restraint on performance of shear walls**
Ni, C., Karacabeyli, E.

- 2.3.2 **Estimation of mechanical properties in Japanese conventional house construction with asymmetric shear wall arrangement**
Aoki, K., Tsuchimoto, T., Ando, N.
- 2.3.3 **Modeling joist stiffness deterioration in wood floors**
Binici, B., Wheat, D.L.
- 2.4 Multiple bolt connections**
 - 2.4.1 **Load-carrying behaviour of steel-to-timber dowel connections**
Mischler, A., Prion, H., Lam, F.
 - 2.4.2 **Influence of joint configuration parameters on strength of perpendicular-to-grain bolted timber connections**
Reshke, R.G., Mohammad, M., Quenneville, J.H.P.
 - 2.4.3 **Load-duration behavior of steel doweled wood connections**
Bulleit, W.M., Martin, Z.A., Marlor, R. A.
- 2.5 Fracture Mechanics of wood products**
 - 2.5.1 **Non-linear fracture mechanics analysis of thickness effect in green wood**
Vasic, S., Smith, I.
 - 2.5.2 **Analyses of fracture of wood in pinned joints using the Finite Small Area Fracture Criterion and Image Correlation Method**
Masuda, M., Tabata, K.
 - 2.5.3 **The effect of knots on the fracture of wood**
Nardin, A., Boström, L., Zaupa, F.

Session 3

- 3.1 Structural performance of timber buildings**
 - 3.1.1 **Guideline on condition assessment for existing wooden houses**
Sato, M., Arima, T.
 - 3.1.2 **Structural behaviour of composite beams composed of Sugi lumber**
Inoue, M., Tanaka, K., Sumioka, O., Kumazawa, N.
 - 3.1.3 **Stability of plywood webs of box girder beams**
Hunt, R.D., Bryant, A.H.
- 3.2 Non-building applications for timber**
 - 3.2.1 **Strength assessment of timber utility poles in Australia**
Crews, K.I., Yeats-Horrigan, A.
 - 3.2.2 **Dynamically loaded light-frame wood stud walls: Experimental verification of the analytical model**
Collins, M., Kasal, B.
 - 3.2.3 **Geometric imperfections in timber formwork systems**
Milner, H.R.
- 3.3 The effect of moisture on wood properties**
 - 3.3.1 **Densified wood and tropical wood: Comparative study of sorptive properties**
Ayina, O., Ngamveng, J. N., Morlier, P.
 - 3.3.2 **Deflections of glulam beams in changing humidity**
Srpčič, J., Srpčič, S., Turk, G.

- 3.3.3 **Bending properties of yellow-polar laminated veneer lumber subjected to 1-year open-shed exposure**
Tang, R.C., Lee, J.N., Kaiserlik, J.
- 3.4 **Innovative concepts in timber engineering**
 - 3.4.1 **Reliability and optimisation of glued laminated timber arches**
Olsson, N.
 - 3.4.2 **Experimental and numerical study of nailed laminated timber elements for in plane and transverse loading**
Haller, P.
 - 3.4.3 **On plastic design of timber beams with a complex cross-section**
Brunner, M.
- 3.5 **Material properties of timber**
 - 3.5.1 **Structural and other properties of modified wood**
Homan, W., Tjeerdsma, B., Beckers, E., Jorissen, A.
 - 3.5.2 **Effect of finger length on fingerjoint strength in radiata pine**
Walford, B.G.
 - 3.5.3 **Mechanical properties and strength grading of Norway spruce timber of different origins**
Chrestin, H.
- 3.6 **Special presentation**
 - 3.6.1 **The "EXPO-roof" in Hannover - A new dimension for ribbed shells in timber**
Burger, N., Müller, A., Natterer, J.

Session 4

- 4.1 **Case Studies**
 - 4.1.1 **Light-weight structures in timber - A chance to use wood in construction field**
Natterer, J.
 - 4.1.2 **Aboriginal schools in British Columbia**
Marceau, M.-O., Karsh, E.
 - 4.1.3 **New Opportunities for Wood Construction at the UBC Forest Sciences Centre**
Williams, G., Butler, S., Peddle, J.
 - 4.1.4 **Offshore timber slab by using screwed timber planks**
Sandoz, J.L., Duro, S.
- 4.2 **Energy efficient buildings**
 - 4.2.1 **Wood shavings as insulating material for prefabricated low energy homes**
Porschitz, H.R., Schwarz, B.
 - 4.2.2 **Case study of an environmental residential building system for Hokkaido, Japan**
Yamaguchi, A., Cohen, D.
 - 4.2.3 **The prefabricated house in the twenty-first century: What can we learn from Japan? A case study of the KST-Hokkaido house**
Brock, L., Brown, J.
 - 4.2.4 **Durability of energy-efficient wood-frame houses**
Smulski, S.

4.3 Case studies

- 4.3.1 **New glulam structures in Croatia**
Haiman, M., Baljkas, B.
- 4.3.2 **Wood-frame construction in past earthquakes**
Rainer, H.J., Karacabeyli, E.
- 4.3.3 **Testing and designing the joints for the Pavillion of Utopia**
Biger, J.P., Bocquet, J.F., Racher, P.
- 4.3.4 **Use of wood from the National Forests to build regional offices of Ibama – Brazil**
Mello, R.L., Melo, J.E., Alvarez, C.E.

4.4 Innovative connection methods

- 4.4.1 **Joint connection with welded thermoplastic dowels and wood welding technologies**
Gerber, C., Gfeller, B.
- 4.4.2 **Nail-plate reinforced metal plate-to-timber joints made with nail, screw or pop rivet fasteners**
Kevarinmäki, A.
- 4.4.3 **Screw gluing laminated veneer lumber (LVL) structures with polyurethane**
Kairi, M., Kaloinen, E., Koponen, S.
- 4.4.4 **Combining wood and viscoelastic material**
Lewicki, D.E., Dinehart, D.W.

4.5 Fire resistance of timber buildings

- 4.5.1 **A design model for load-carrying timber frame members in walls and floors exposed to fire**
König, Jürgen
- 4.5.2 **EZ-Barrier - an easy-to-use spreadsheet model to estimate time of the failure of timber framed walls in real fire**
Pohl, A., Clancy, P.
- 4.5.3 **The effect of insulation on the fire resistance of wood-stud walls**
Takeda, H., Kahsay, F.
- 4.5.4 **The fire resistance of medium-rise timber frame buildings**
Lennon, T., Bullock, M.J., Enjily, V.

4.6 Performance of floor systems

- 4.6.1 **Serviceability design of residential wood framed floors in Canada**
Onysko, D.M., Hu, L.J., Jones, E.D., Di Lenardo, B.
- 4.6.2 **Evaluation of floor systems for multi-storey buildings**
Sigrist, Ch., Gerber, Ch., Weber, H., Brunner, R.
- 4.6.3 **Dynamic performance of wood framed floor systems with poured toppings**
Taylor, S., Hua, G.
- 4.6.4 **Effectiveness of strongback / wood I-blocking for improving vibration performance of engineered wood floors**
Hu, L.J., Tardif, Y.

Session 5

5.1 Case studies of wood buildings

- 5.1.1 **The Dutch pavilion at the EXPO 2000 in Hannover**
Jorissen, A.

- 5.1.2 **Engineered lumber building systems used in the construction of the Trus Joist Technology Center**
Taylor, S.
- 5.1.3 **Scotia Place – 12 storey apartment building: A case study of high-rise construction using wood and steel**
Moore, M.A.
- 5.2 Innovative concepts in designing with wood**
 - 5.2.1 **New method for timber-frame houses based on integrated stud-theory**
Moonen, F.S.P.G., Fiege, M.A.
 - 5.2.2 **Exposed structural timber design: A state-of-the-art summary and resource of contemporary international practice**
Benedetti, C., Charleson, A. W.
 - 5.2.3 **Jupit'Air: an upgraded timber connection**
Sandoz, J.L., Oth, J.B.
- 5.3 Restoration of historic buildings**
 - 5.3.1 **Della Rovere Castle: From the diagnosis of structural performance to the upgrading system design of several wooden floors dating from the XVI Century in Torino, Italy**
Goffi, F.
 - 5.3.2 **Timber historic structures in Italy: Typologies and conservation problems**
Ronca, P.
 - 5.3.3 **Villa Tomati - a roof within the roof: A project to restore the past throughout knowledge**
Goffi, F., Bacigalupo, M., D'Alessandro, F.
- 5.4 Earthquake resistance of timber structures**
 - 5.4.1 **Seismic testing of light frame shear walls**
McMullin, K.M., Merrick, D.S.
 - 5.4.2 **Racking resistance of shear walls with various sheathing materials and openings**
Jang, S.S.
 - 5.4.3 **Development of small-scale model for prediction of racking performance of light frame shear walls**
Lee, J.J., Hong, J.P.
- 5.5 Building Science issues of design**
 - 5.5.1 **Sound insulation in multi-storey timber buildings**
Kessel, M.H., Sierig, U.
 - 5.5.2 **Heat and moisture distribution at the connection of floor and external wall in multi-storey timber houses**
Kilpeläinen, M., Luukkonen, I., Vinha, J., Kakela, P.
 - 5.5.3 **Differential movement between the brick cladding and timber frame of the TF2000 building**
Grantham, R., Enjily, V.

Session 6

- 6.1 Innovative applications of wood in buildings**
 - 6.1.1 **Conclusions from theoretical analysis, construction and behaviour of timber spatial structures**
Straka, B.

- 6.1.2 **Material combinations incorporating wood - recent West Coast examples**
Hart, A., Fast, P.A.
- 6.1.3 **The Millenium Tower Landmark of the Federal Horticultural Show, Magdeburg 1999**
Kessel, M.H., Brickart, M., Klauke, G., Seifart, C., Winkelmann, K.
- 6.2 Contemporary residential buildings**
 - 6.2.1 **Oulu's modern Wooden Town**
Heikkilä, J., Koiso-Kanttila, J., Karjalainen, M., Suikkari, R.
 - 6.2.2 **Architectural competition for multi-storey timber frame housing**
Hansson, T., Eriksson, P.-E.
 - 6.2.3 **Medium-rise timber-framed buildings as multi-level systems**
Engström, D., Samuelsson, S.
- 6.3 Prefabricated buildings from wood**
 - 6.3.1 **Prefabricated installation units for residential and multi-story buildings**
Porschitz, H.R., Schwarz, B.
 - 6.3.2 **Improved design of manufactured homes for hazadous winds**
Schmidt, R.J., Goodman, J.R., Richins, W.D., Pandey, A.K., Larson, T.K.
 - 6.3.3 **Development of ready-to-assemble wood structures**
Loferstki, J.R., Kochkin, V., Platt, T.
- 6.4 Performance of connections in buildings**
 - 6.4.1 **Performance of wood joints fastened with power-driven nails**
Chui, Y.H., Ni, C.
 - 6.4.2 **Experimental results for sub-element inter-connections**
Pardoen, G.C., Kazanjy, R.P., Ficcadenti, S.J., Castle, T.A.
 - 6.4.3 **Flexural behaviour of glulam beam edge-jointed by lagscrews with steel splice plates**
Komatsu, K.
- 6.5 Durability of wooden structures**
 - 6.5.1 **Engineering models for decay of timber**
Leicester, R. H., Wang, C-H., Foliente, G.C., Thornton, J.D., Johnson, G.C., Cause, M, MacKenzie, C.
 - 6.5.2 **Wood facade damage and the design of new wooden facades - long-term durability of timber facades in Finland**
Soikkeli, A.
 - 6.5.3 **Durability assessment of wood-framed walls and mechanical properties of plywood in use**
Nanami, N., Shibusawa, T., Sato, M., Arima, T., Kawai, M.

Keynote Address

Engineering solutions and connections
Flach, M., Frenette, C.

Session 7

- 7.1 Earthquake resistance of timber buildings**
 - 7.1.1 **The CUREe / Caltech Woodframe Project**
Hall, John F.

- 7.1.2 **Modeling the hysteretic response of mechanical connections for wood structures**
Foschi, R.O.
- 7.1.3 **Dynamic Analysis and Modeling of wood-framed shear walls**
Yasumura, M.
- 7.1.4 **Ongoing seismic testing and analysis program in the CUREe-Caltech woodframe project in California**
Filiatrault, A., Uang, C.-M., Seible, F.
- 7.1.5 **Earthquake resistant capacity design principles applied to two storey plywood shear walls**
King, A.B., Shelton, R.H.

- 7.2 **Case studies of connections in building applications**
 - 7.2.1 **An innovative structural design in glued laminated timber for 115m span Lisbon, Portugal multi-use arena**
Sinn, Robert C.
 - 7.2.2 **A four-storey school building in timber**
Sigrist, Ch.
 - 7.2.3 **Contemporary Swiss wooden architecture – Prix Lignum 1999**
Affentranger, Ch.F.
 - 7.2.4 **A parallam and stainless steel composition**
Epp, G.A., Woudstra, B.M.
 - 7.2.5 **Ezijoin connection system for improved timber utilization**
Thomson, R., Rogers, C.J.

- 7.3 **Performance of truss systems**
 - 7.3.1 **Bracing of timber trussed roofs – the new South African bracing rules and their impact**
Burdzik, W.M.G.
 - 7.3.2 **Lateral bearing capacity of single connectors in parallel loaded battens used for truss bracing**
Nielsen, J.
 - 7.3.3 **Load-sharing in metal -plate connected wood truss assemblies**
Cramer, S., Drozdek, J.
 - 7.3.4 **Non-linear modeling of the heel joint of metal plate connected roof trusses**
Barron, K.C., Kim, J.B.
 - 7.3.5 **Imperfection measurements for trusses using nail plates**
Kessel, M.H., Mertinaschk, A.

- 7.4 **Glued-in connectors**
 - 7.4.1 **Production control methods for glued-in rods for timber structures**
Bengtsson, C., Kemmsies, M., Johansson, C.-J.
 - 7.4.2 **Determination of the capacities of a new composite timber-steel connector system**
Schreyer, A., Bathon, L.A., Prion, H.G.L.
 - 7.4.3 **Cement grouted steel bars in glulam**
Buchanan, A.H., Moss, P.J., Eistetter, S.

 - 7.4.4 **Predicting the pull-out strength of glued-in rods**
Gustafsson, P.J., Serrano, E.
 - 7.4.5 **Design of connections based on in v-form glued-in rods**
Kangas, J.

- 7.5 **Advanced grading of lumber**

- 7.5.1 **Microwave nondestructive testing of Malaysian timber for grading applications**
Ghodgaonkar, D.K., Majid, W.M.B.W.A., Husin, H.B.
- 7.5.2 **Ultrasonic detection of knots, cross grain and bark pockets in wooden pallet parts**
Kabir, M.F., Schmoldt, D.L., Schafer, M.E.
- 7.5.3 **Control of timber strength grading machines**
Boström, L.
- 7.5.4 **Effect of artificial structural defects on the MOE and damping properties of wood elements**
Ouis, D.
- 7.5.5 **Wood testing using acousto-ultrasonic**
Sandoz, J.L., Benoit, Y., Demay, L.

7.6 Long term loading effects

- 7.6.1 **An inverse problem approach to identify viscoelastic behaviour of structural wood based panels**
Le Magorou, L., Bos, F., Rouger, F.
- 7.6.2 **Theoretical and experimental analysis of long term vertical displacements of the sport-hall "Boninovo"**
Dubrovnik, Z., Borislav D.
- 7.6.3 **Reliability of timber columns considering long-term material behaviour**
Becker, P., Rautenstrauch, K.
- 7.6.4 **Failure criteria for duration of load modeling of structural beams**
Galimard, P.J., Lasserre, B.
- 7.6.5 **Failure mechanism of softwood under low-cycle fatigue load in compression parallel to grain**
Gong, M., Smith, I.

Session 8

8.1 Seismic performance of woodframe systems

- 8.1.1 **Seismic performance of nailed wood-frame shear walls**
Yamaguchi, N., Karacabeyli, E., Minowa, C., Kawai, N., Watanabe, K., Nakamura, I.
- 8.1.2 **Shaking table tests and seismic design method of wooden houses with eccentricity**
Sato, T., Koshihara, M., Kohara, K., Miyazawa, K., Ohashi, Y., Sakamoto, I.
- 8.1.3 **Application of the Capacity Spectrum Method to timber houses considering shear deformation of horizontal frames**
Kawai, N.
- 8.1.4 **Increasing the energy dissipation capacity of woodframe structures through the addition of viscoelastic dampers**
Dinehart, D.W.

8.2 Wood-concrete composite floor systems

- 8.2.1 **Laboratory test of composite wood-concrete beam and floor specimens**
Gutkowski, R.M., Balogh, J., Natterer, J., Brown, K., Koike, E., Eturnaud, P.
- 8.2.2 **A continuous wood-concrete-composite system**
Bathon, L., Graf, M.
- 8.2.3 **Effect of floating floors on the vibration performance of wood-concrete composite floors**
Talja, A., Toratti, T.
- 8.2.4 **Numerical evaluation of long-term behaviour for timber-concrete composite beams**
Amadio, C., Ceccotti, A., Di Marco, R., Fragiaco, M.

8.3 Timber bridges

- 8.3.1 **Experimental investigation of cable supported timber bridge**
Just, A., Just, E., Pousette, A., Öiger, K.
- 8.3.2 **Development and testing of timber/concrete shear connectors**
Benitez, M.F.
- 8.3.3 **A new timber beam bridge with an orthotropic steel deck**
Usuki, S., Atsumi, A., Sudo, S., Iijima, Y.
- 8.3.4 **Field tests and in-service performance of the new glulam tied arch roadway bridge "Hyakume-ishi"**
Sasaki, T., Usuki, S., Honda, H., Suto, S.

8.4 Education and technology transfer

- 8.4.1 **A new R/D national program on timber structures in B.R.I, Japan**
Isoda, H., Okada, H., Kawai, N., Yamaguchi, N.
- 8.4.2 **Better connection design using Information Technology**
Bainbridge, R., Milner, M.W., Mettem, C.J.
- 8.4.3 **Trend of Timber Engineering Research in Japan**
Tanaka, K., Inoue, M.
- 8.4.4 **"All together now" - the role of a team in timber design: Case studies**
Malczyk, R.

8.5 The effect of creep and duration of load on the performance of wood members

- 8.5.1 **Long-term behaviour of wood under multi-axial states of stress and simulations of structural details**
Helnwein, P., Hanhijarvi, A., Eberhardsteiner, J.
- 8.5.2 **Creep of timber during eight years in natural environments**
Ranta-Maunus, A., Korttesmaa, M.
- 8.5.3 **Creep of timber in different loading modes - material property aspects**
Bengtsson, Ch.
- 8.5.4 **The model of dielectric relaxation based on the reorientation of adsorbed water in wood the cell wall**
Zhao, G., Cao, J.

8.6 Reinforced connections

- 8.6.1 **The role of reinforcing materials in timber connections**
Guan, Z.W., Rodd, P.D.
- 8.6.2 **Anti-check bolts as means of repair for damaged split ring connections**
Quenneville, J.H.P., Mohammad, M.
- 8.6.3 **Use of technical textiles and densified wood for timber joints**
Haller, P., Wehsener, J.
- 8.6.4 **Nail plate reinforced joints with dowel-type fasteners**
Blass, H.J., Schmid, M., Litze, H., Wagner, B., Birk, T.

Session 9

9.1 Reliability of woodframe systems

- 9.1.1 **Applications of reliability concepts to timber engineering**
Leicester, R.H.

- 9.1.2 **Inverse reliability applications and performance-based design in timber engineering**
Foschi, R.O., Li, H.
- 9.1.3 **Effect of within member variability on the reliability of timber trusses**
Hansson, M., Thelandersson, S.
- 9.2 Impact load effects**
 - 9.2.1 **Impact behaviour of parallel strand lumber (PSL)**
Sukontasukkul, P., Mindess, S., Banthia, N.
 - 9.2.2 **Evaluation of wood-based members response to explosive loading**
Buchar, J., Slonek, L., Horacek, P., Severa, L.
 - 9.2.3 **Literature review of impact strength of timber and joints**
Leijten, A.J.M.
- 9.3 Timber bridges**
 - 9.3.1 **Laboratory tests of a timber trestle bridge chord**
Gutkowski, R.M., Doyle, K.R., Balogh, J.
 - 9.3.2 **Development of timber bridges in the Nordic Countries**
Aasheim, E.
 - 9.3.3 **Development of Limit States Design (LRFD) methods for stress laminated timber "cellular" bridge decks**
Crews, K.I.
- 9.4 Performance of connections in buildings**
 - 9.4.1 **Moment-resisting connections in glulam beams**
Moss, P., Buchanan, A.H., Wong, K.L.
 - 9.4.2 **The effect of in-situ conditions on nail withdrawal capacities**
Sutt, E., Reinhold, T., Rosowsky, D.
 - 9.4.3 **The effect of lay-up on strength and behaviour of steel dowels in laminated strand lumber**
Moses, D., Prion, H.G.L.
- 9.5 Grading techniques**
 - 9.5.1 **The effects of different manufacturing strategies on the properties of machine stress graded sticks of timber**
Hunt, R.D., Ralston, J.G., Simperingham, P.
 - 9.5.2 **Variability in strength and stiffness of structural Norway Spruce timber - influence of raw material parameters**
Johansson, M., Kliger, R.
 - 9.5.3 **Stiffness, strength and shape stability grading analysis of sawn timber based on experimentally found growth characteristics**
Dahlblom, O., Petersson, H., Ormarsson, S.

Posters

- P01 Perpendicularly prestressed glued frame corner joint**
Zagar, Z.
- P02 Structural behaviour of a new type of beam-column connection in timber structures**
Inoue, M., Tanaka, K., Yazu, S., Sumioka, O.
- P03 Cyclic response of multiple bolted connections**
Heine, C., Dolan, J.D.

- P04 Improved timber connections using bonded-in GFRP rods**
Harvey, K., Ansell, M.P.
- P05 Dowel-bearing properties of glued laminated timber with a drift pin**
Harada, M., Hayashi, T., Karube, M., Komatsu, K.
- P06 Preliminary stress analysis of shear-block tension connections**
Duff, S.F., Blondet, M.
- P07 Moment resisting connections through glued-in steel rods for plane grid glulam structures**
Ballerini, M., Piazza, M.
- P08 Testing of wood joints for high winds**
Richins, W.D., Pollock, D.G., Larson, T.K., Rahl, T.E., Yadama, V.
- P09 Space-frame connection for small diameter round timbers**
Wolfe, R.W., Gjinolli, A., King, J.R.
- P10 Hold-down connectors and the capacity of the wood member**
Nelson, R.F.
- P11 The influence of washer reinforced nail connections on the lateral resistance of shear walls with large openings**
Richard, N., Prion, H.G.L., Daudeville, L.
- P12 Mechanical behaviour of fiberglass reinforced timber joints**
Chen, C.-J.
- P13 Dowel connections in laminated strand lumber**
Cranswick, C.J., McGregor, S.I.
- P14 Simplified analysis of timber rivet connections**
Stahl, D.C., Begel, M., Wolfe, R.W.
- P15 Sample or prototype testing of timber components**
Bryant, A.H., Hunt, R.D.
- P16 Practical effective resistance of nailed shear walls**
Hirai, T., Yanaga, K., Zhang, P.-W.
- P17 Effective width and equivalent beam width – design recommendations for floor decking subjected to concentrated loads**
Moarcas, O., Irle, M.
- P18 Effective width of stressed-skin panels**
Kikuchi, S.
- P19 Vibration performance of a glued stressed skin LVL balcony element**
Hakkarainen, J.J.
- P20 Investigation into reducing foot fall noise in timber framed apartment buildings**
Dunn, A.H.
- P21 Structural identification of glued laminated timber bridges by using genetic algorithms**
Hayashikawa, T., Obata, T., Hirasawa, H., Sato, K.
- P22 Investigation of fuzzily arranged 'Hanegi' in traditional wooden building**
Kataoka, Y., Itoh, H., Inoue, S.
- P23 Knowledge-based generation of operation procedures for development of timber building system**
Nakajima, M.
- P24 Static racking behaviour of OSB panel wall with GLL frames**
Nobusawa, H., Sadakata, K.
- P25 Diagnosis method for seismic performance of Japanese traditional timber buildings**
Uchida, M. F., Kawai, N., Maekawa, H.
- P26 Sustainable indicators in the productive cycle of reforested wood housing**
Barbosa, J.C., Ino, A., Shimbo, I.
- P27 Implementation of laboratory results into the design practice**
Kariotis, J., Pardoen, G.C., Dick, G., Delli Quadri, N.

- P28 The Caltech-CUREe Woodframe Project's Shear Wall Task**
Pardoen, G.C., Kazanjy, R.P., Freund, E., Shah, N., Smith, A.
- P29 Automated system for structural analysis and dimensional verification of industrialized trussed wooden structures for roofing**
Partel, H., Dias, A.A.
- P30 Study on simplified calculation methods for ultimate structural design and for allowable stress design for wooden frame structures**
Kohara, K., Shigeto, Y., Yuda, T., Miyazawa, K.
- P31 Study on a prediction method of damage due to severe earthquake and seismic performance for wooden dwelling houses**
Moda, S., Kohara, K., Miyazawa, K.
- P32 Learning from the past - Designing timber multi-storey apartment buildings on the basis of the timber construction heritage**
Heikkilä, J.
- P33 Formulating a Korean Industrial Standard for light-frame wood construction**
Jang, S.S., Kim, D.H.
- P34 Full-scale structural testing of single-wide manufactured home**
Richins, W.D., Lacy, J.M., Larson, T.K., Rahl, T.E., Goodman, J.R., Schmidt, R.J., Koerner, B.D., Pandey, A.K.
- P35 I-wall modules for wood framed construction**
Wolf, Th.
- P36 Effective stiffness of reinforced thin-webbed timber beams**
Ayina, O.
- P37 Field tests of a strengthened timber trestle railroad bridge**
Gutkowski, R.M., Shigidi, A.M.T., Peterson, M.L.
- P38 Assessment of reliability levels of performance of wood floors achieved with different design approaches**
Karalic, M.
- P39 Considering a process approach to achieving durability of timber buildings**
Milner, M., Mettem, C.J., Bainbridge, R.J., Pitts, G.C.
- P40 Nondestructive testing for durability assessment of plywood used for wood-framed houses**
Shibusawa, T., Nanami, N., Sato, M., Arima, T., Kawai, M.
- P41 Intumescent coating protecting mechanism in fire resistant timber elements**
Del Senno, M., Cont, S., Piazza, M., Magrone, M.
- P42 Low molecular weight silicic acid - inorganic compound complex as wood preservative**
Yamaguchi, H.
- P43 The resistance to delamination at load-bearing laminated timber structures**
Kabanov, V.A., Bredikhin, V.V., Zhilin, V.V., Avdyakov, D.V.
- P44 Development of a structural composite using Irish-grown timber and fibre reinforcement**
Gilfillan, R., Gilbert, S., Russell, D.
- P45 FEM Models of composite timber - lightweight concrete floor structures**
Rajcic, V., Zagar, Z.
- P46 Composite decks of concrete glued to timber**
Brunner, M., Gerber, Ch.
- P47 Semirigid composite wood-concrete T-beams**
Demarzo, M.A., Tacitano, M.
- P48 Constructive method of an Eucalyptus laminated timber identification**
Carrasco, E.V.M., Teixeira, C.M., Paoliello, C.
- P49 Selected properties of full-sized bamboo-reinforced composite beam**
Nugroho, N., Ando, N.

- P50 Experimental and numerical results on timber-concrete composite floors with different connection systems**
Piazza, M., Ballerini, M.
- P51 Commercialization of FRP reinforced glulam beam technology**
Martin, Z., Stith, J.K., Tingley, D.A.
- P52 Castor oil polyurethane adhesive for glulam**
Jesus, J.M.H., Calil Jr., C., Chierice, G.O.
- P53 Strength and stiffness performance of FRP reinforced white oak**
Martin, Z., Stith, J.K., Tingley, D.A.
- P54 Monitoring fibre orientation in OSB during production using filtered image analysis**
Nishimura, T., Ansell, M.P.
- P55 Korean standards of visual grading and establishing allowable properties of softwood structural lumber**
Park, M.-J., Shim, K.-B.
- P56 Effects of thinning and pruning on DBH and ultrasonic wave velocity in Taiwan Cryptomerioide**
Wang, S.Y., Lin, F.C., Jane, M.C., Lin, C.J., Hung, C.P.
- P57 Mechanical processing and end-use products of Birch, Aspen and Alder**
Kivisto, J.N.T., Sipi, M.H.
- P58 The effect of site and the quality and end-use value of sawn timber of Norway Spruce**
Hemmila, T., Sipi, M.
- P59 Peatland stands of Norway Spruce (Picea Abies) as raw material for mechanical wood industry - Wood properties and quality of sawn timber**
Rikala, J., Sipi, M.
- P60 Effects of age and moisture content on mechanical properties and twisting of Finnish round and sawn Pine (Pinus sylvestris) and Spruce (Picea abies)**
Boren, H.
- P61 Elastic response of EWP materials compared to solid wood**
Hindman, D.P., Janowiak, J.J., Manbeck, H.B.
- P62 Creep behaviour of yellow-poplar laminated veneer lumber: effect of constant relative humidity**
Lee, J.N., Tang, R.C., Kaiserlik, J.
- P63 Experimental study of the effect of a laser beam on the morphology of wood surfaces**
Haller, P., Beyer, E., Wiedemann, G., Panzner, M., Wust, H.
- P64 Quality criteria of timber used in Romania**
Darie, M., Vacareanu, R., Erbasu, R., Pantelimon, M., Pana, L.
- P65 Modulus of Elasticity - local or global values**
Solli, K.H.
- P66 Use of ultrasonic method in association with the imagistic method for detection of structural defects in gluing of plywood**
Iancu, L., Grimberg, R., Mitişor, Al., Lupu, A., Iancu, C.
- P67 Effect of moisture content, specific gravity, temperature and number of annual growth rings on Redwood elastic constants**
Mascia, N.T., Cramer, .S.M.
- P68 Influence of residual stresses in wood on its bending strength and nail withdrawal resistance**
Fujimoto, N., Iijima, Y.
- P69 Plywood embedment stiffness**
Stamato, G.C., Calil Jr., C.
- P70 Test methods for determination of mechanical properties of bamboo**
Fan, H., Fan, C.
- P71 Low-cost optical fibre sensors for strain measurement in LVL subjected to cyclic humidity conditions**
Pritchard, J., Ansell, M.P.

- P72 Melbourne's Three Bridge timber gluelams**
Carlin-Smith, H.
- P73 Use of wood in construction and equipment on the terrestrial trails of Fernando de Noronha Marine National Park – Brazil**
Alvarez, C.E., Melo, J.E., Mello, R.L.
- P74 The scientific station of Sao Pedro and Sao Paulo Archipelago – Brazil**
Alvarez, C.E., Melo, J.E., Mello, R.L.
- P75 Analysis of self-building principle with respect to Pine (Pinus spp) kits available to low-income families in Florianapolis, Brazil**
Arruda, M.P., Ino, A.
- P76 A plywood house in Australia**
Leifer, D., Hyde, R.
- P77 Roof structure for the Amazon region**
Sá Ribeiro, R., Sá Ribeiro, M.G.
- P78 Structural Analysis of the Bow Gantry of Dredge No.4**
van Rijn, G.
- P79 Shear strength of timber braced walls in Japanese conventional house construction**
Tsuchimoto, T., Nakamura, N., Okazaki, Y., Narita, T.
- P80 Instability analysis of timber columns with composed cross-section**
Maranhao, G.M., Calil Jr., C.
- P81 Strength of OSB shear walls with over-driven sheathing nails**
Jones, S.N., Fonseca, F.
- P82 Creep of beams of wood and wood-based materials under transverse load**
Misztel, B.
- P83 The reliability of non-destructive testing on the quality of structural composite lumber: The Parallam(R)**
Bertolini Cestari, C.
- P84 Creep response of engineered wood I-Joist and oriented strand board floor systems**
Wisniewski, B., Manbeck, H., Janowiak, J.J.
- P85 Experimental assessment of the effects of boundary condition on the concentrated static load performance of OSB floor sheathing**
Thomas, W.H.
- P86 The FPRDI shop-fabricated emergency shelter**
Soriano, F.S., Rondero, T.R.E., Carino, C.R., Manalo, A.C., Saralde Jr., T.C., Bonaagua, E.A., Tesoro, F.O.
- P87 Determination of transverse bending stiffness of nail-laminated timber elements**
Wolf, T.
- P88 Static tests on wooden houses with eccentricity in wall layout**
Koshihara, M., Sakamoto, I., Ohashi, Y., Miyazawa, K., Nii, K.
- P89 Hollow screws connections under combined efforts**
Mantilla Carraso, E., Bremer, C.F.
- P90 Lateral stability of a two-floor wooden house**
Dias, A.A., Fiorelli, J.
- P91 Educational CD-ROM gives an overview and aids in design**
Sigrist, Christophe, Brunner, R.
- P92 Shear and flexural deflection equations for OSB floor decking under point load**
Thomas, W.H.
- P93 Concept of Hierarchical Structure System**
Watanabe, K.
- P94 A Study of Tectona Grandis Deforestation & Effect on Nigeria Forests**
Akintunde, E.

P95 **Seismic capacity rating and reliability assessment of wood shear walls**
Foliente, G. C., Paevere, P., Saito, T., Kawai, N